

NERAN[®] 能元

工业用空气压缩机系列
Industrial air compressor series


www.neran.com.cn



高压风冷压缩机

产品简介

HIGH PRESSURE AIR COOLED COMPRESSOR



产品特点:

- 结构紧凑型高压空气压缩机
- 低油耗、低噪音、低振动
- 维护成本低、操作更简单
- 根据客户要求订制

Product features:

- Compact high-pressure air compressor
- Its oil consumption, noise and vibration are low
- It requires low maintenance expense and enables simple operation
- Customized according to customer requirements

型号 Model	SF-60/100	SF-72/60	SF-72/80
额定排气量 (m ³ /h) Rated discharge volume	60	72	72
额定排气压力 (Mpa) Rated discharge pressure	10	6.0	8.0
转速 R.P.M	730	800	800
电机功率 (KW) Motor power	18.5	15	15
重量 (KG) Weight	470	400	550
外形尺寸 (mm) Boundary dimension	1400x900x1000	1400x900x1000	1400x900x1000



高压风冷压缩机 **产品简介**

HIGH PRESSURE AIR COOLED COMPRESSOR



产品特点:

- 结构紧凑型高压空气压缩机
- 低油耗、低噪音、低振动
- 维护成本低、操作更简单
- 根据客户要求订制
- PLC智能控制; 各级压力数显, 高低压自动启停, 低油位自动报警停机, 相序保护, 高温报警, 自动排污。

Product features:

- Compact high-pressure air compressor
- Its oil consumption, noise and vibration are low
- It requires low maintenance expense and enables simple operation
- Customized according to customer requirements
- PLC intelligent control; Pressure digital display at all levels, automatic start and stop of high and low pressure, automatic alarm and shutdown of low oil level, phase sequence protection, high temperature alarm and automatic blowdown.

型号 Model	SF-42/150	SF-42/200	SF-36/250	SF-36/300
额定排气量 (m ³ /h) Rated discharge volume	42	42	36	36
额定排气压力 (Mpa) Rated discharge pressure	15	20	25	30
转速 R.P.M	850	850	850	970
电机功率 (KW) Motor power	15	15	15	15
重量 (KG) Weight	450	450	450	480
外形尺寸 (mm) Boundary dimension	1500x600x1030	1500x600x1030	1500x600x1030	1500x600x1030



高压风冷压缩机

产品简介

HIGH PRESSURE AIR COOLED COMPRESSOR



产品特点:

- 结构紧凑型高压空气压缩机
- 低油耗、低噪音、低振动
- 维护成本低、操作更简单
- 根据客户要求订制

Product features:

- Compact high-pressure air compressor
- Its oil consumption, noise and vibration are low
- It requires low maintenance expense and enables simple operation
- Customized according to customer requirements

型号 Model	SF-72/300	SF-72/250	SF-90/200	SF-90/150
额定排气量 (m ³ /min) Rated discharge volume	1.2	1.2	1.5	1.5
额定排气压力 (Mpa) Rated discharge pressure	30	25	20	15
转速 R.P.M	800	800	950	950
电机功率 (KW) Motor power	30KW	30KW	30KW	30KW
重量 (KG) Weight	950	950	950	950
外形尺寸 (mm) Boundary dimension	2000*1150*1100	2000*1150*1100	2000*1150*1100	2000*1150*1100



高压风冷压缩机

产品简介

HIGH PRESSURE AIR COOLED COMPRESSOR



产品特点:

- 结构紧凑型高压空气压缩机
- 低油耗、低噪音、低振动
- 维护成本低、操作更简单
- 根据客户要求订制
- PLC智能控制；各级压力数显，高低压自动启停，低油位自动报警停机，相序保护，高温报警，自动排污。

Product features:

- Compact high-pressure air compressor
- Its oil consumption, noise and vibration are low
- It requires low maintenance expense and enables simple operation
- Customized according to customer requirements
- PLC intelligent control; Pressure digital display at all levels, automatic start and stop of high and low pressure, automatic alarm and shutdown of low oil level, phase sequence protection, high temperature alarm and automatic blowdown.

型号 Model	额定排气量(m ³ /min) Rated discharge volume	额定排气压力(Mpa) Rated discharge pressure	转速 R.P.M	电机功率(KW) Motor power	外形尺寸(mm) Boundary dimension	重量(KG) Weight
SF-150/400	2.5	40	1450	55*1.2	2400*1450*1400	1800
SF-120/400	2	40	1170	55	2400*1450*1400	1750
SF-150/350	2.5	35	1450	55	2400*1450*1400	1800
SF-120/350	2	35	1170	45	2400*1450*1400	1750
SF-120-250	2	25	1170	45	2400*1500*1400	1750
SF-120/150	2	15	1170	37	2400*1450*1300	1600
SF-270/100	4.5	10	1170	75	2400*1450*1400	2000



高压风冷压缩机

产品简介

HIGH PRESSURE AIR COOLED COMPRESSOR



产品特点:

- 结构紧凑型高压空气压缩机
- 低油耗、低噪音、低振动
- 维护成本低、操作更简单
- 根据客户要求订制
- PLC智能控制; 各级压力数显, 高低压自动启停, 低油位自动报警停机, 相序保护, 高温报警, 自动排污。

Product features:

- Compact high-pressure air compressor
- Its oil consumption, noise and vibration are low
- It requires low maintenance expense and enables simple operation
- Customized according to customer requirements
- PLC intelligent control; Pressure digital display at all levels, automatic start and stop of high and low pressure, automatic alarm and shutdown of low oil level, phase sequence protection, high temperature alarm and automatic blowdown.

型号 Model	额定排气量(m ³ /min) Rated discharge volume	额定排气压力(Mpa) Rated discharge pressure	转速 R.P.M	电机功率(KW) Motor power	外形尺寸(mm) Boundary dimension	重量(KG) Weight
SF-90/400	1.5	40	980	37	2300*1650*1400	1600
SF-90/350	1.5	35	980	37	2300*1650*1400	1600
SF-90/250	1.5	25	980	30	2300*1650*1300	1500
SF-90/150	1.5	15	980	30	1800*1300*1300	1500
SF-180/250	3	25	980	55*1.2	2400*1500*1400	1800
SF-180/150	3	15	980	55	2400*1450*1400	1750
SF-180/100	3	10	980	55	2400*1450*1400	1800

宁波能元机械有限公司

Ningbo NERAN Machinery Co., Ltd.

地址:浙江省宁波市鄞州区东吴镇平塘村工业区 (邮编: 315114)

Address: pingtangcun Industrial Zone, Dongwu Town, Yinzhou District, Ningbo City, Zhejiang Province
(postcode: 315114)

电话(Tel):0574-89022977

传真(Fax):0574-98022977

邮箱(E-mail):nbny@vip.163.com

网址(Web):<http://www.neran.com.cn>

服务热线(Sevice Hotline):400-8310-886

